

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	112074	(generat\$3 or produc\$3 or calculat\$3 or mak\$3 or get\$4) with (identifier or tag or value) with (device or host or workstation or machine)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:30
L2	1270	(generate with device with identifier)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:31
L3	105	(generate with device with identifier with code)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:31
L4	1	(generate with device with identifier with product with model)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:33
L5	6798	(generat\$3 near3 code near4 (device or machine or host or workstation))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:34
L6	6748	(generat\$3 near3 code near4 (device or machine or host or workstation near3 identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:34
L7	259	(generat\$3 near3 code near4 (device or machine or host or workstation near3 identifier)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:37
L8	73	(generat\$3 near3 code near4 (device or machine or host or workstation near3 identifier)) and "709"/\$.ccls. and ethernet	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:10
L9	1424	(generat\$3 near3 (id or identifier) near3 (machine or host or workstation or device))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:11
L10	198	(generat\$3 near3 (id or identifier) near3 (machine or host or workstation or device)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:11
L11	262	(generat\$3 near2(id or identifier)) with (machine or host or workstation or device) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:12

L12	120	(generat\$3 near2(id or identifier)) near3 (machine or host or workstation or device) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:12
L13	69	(generat\$3 near2(id or identifier)) near3 (machine or host or workstation or device) near4 code	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:14
L14	4	(generat\$3 near2(id or identifier)) near3 (machine or host or workstation or device) with (packet with response)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:15
L15	54	(generat\$3 with (id or identifier)) with (machine or host or workstation or device) with (packet with response)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:30
L16	30956	(product or machine or device or workstation) near2 model	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:30
L17	241	(product or machine or device or workstation) near2 model near2 (id or identifier)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:31
L18	43	(product or machine or device or workstation) near2 model near2 (id or identifier) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:21
L19	407	pppoe	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:22
L20	10	pppoe and (device near3 (id or idnetifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:25
L21	1	pppoe and ((device or machine or host or workstation) near3 generat\$3 near3 (id or idnetifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:26
L22	3	pppoe and ((device or machine or host or workstation) near3 generat\$3 near3 (id or identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:27
L23	0	etherne and ((device or machine or host or workstation) near3 generat\$3 near3 (id or identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:27

L24	219	ethernet and ((device or machine or host or workstation) near3 generat\$3 near3 (id or identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:27
L25	1	(generat\$3) and "20050033853"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 09:44
L26	2	"20030053443".pn. and ip	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 09:52
L27	1	"20030053443".pn. and (remote adj2 access\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:07
L28	298	(adsl with router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:08
L29	129	(adsl with router) and ethernet	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:08
L30	129	(adsl near3 router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:08
L31	8606	(adsl adj1router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:08
L32	44	(adsl adj1 router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:10
L33	7	(adsl adj1 router) and PPPoe	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:21
L34	2	"20050033853"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:21
L35	1	"20050033853".pn. and router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:21
S1	224	pppoe	US-PGPUB; USPAT	OR	ON	2005/01/10 06:27

S2	82	pppoe and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 06:37
S3	0	(identif\$5 and device and ethernet).ab. and ppp0e	US-PGPUB; USPAT	OR	ON	2005/01/10 06:37
S4	0	(identif\$5 and device).ab. and ppp0e	US-PGPUB; USPAT	OR	ON	2005/01/10 06:38
S5	39	(identif\$5 and device and ethernet).ab.	US-PGPUB; USPAT	OR	ON	2005/01/10 07:47
S6	16	pppoe and padi and padr and pado	US-PGPUB; USPAT	OR	ON	2005/01/10 11:03
S7	1	(tag with model with product with identif\$5) and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 08:00
S8	1	(send\$3 with model with product with identif\$5) and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 08:00
S9	8	(send\$3 with model with device with identif\$5) and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 08:01
S10	214	(host with tag with ident\$5)	US-PGPUB; USPAT	OR	ON	2005/01/10 08:36
S11	28	(host with tag with ident\$5) and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 09:03
S12	17	(host with tag with ident\$5) and "370"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 09:09
S13	0	(host with tag with ident\$5 with product with model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:10
S14	9	(tag with ident\$5 with product with model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:13
S15	2	(binary with ident\$5 with product with model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:13
S16	38	(binary with ident\$5 with model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:17
S17	0	(binary with ident\$5 with product)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:17
S18	138	(binary with ident\$5 with product)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:17
S19	8	(binary with ident\$5 with product) and ("709"/\$.ccls. or "370\$.ccls")	US-PGPUB; USPAT	OR	ON	2005/01/10 09:19
S20	21207	(identif\$4 near4 host product near4 model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:21
S21	0	(identif\$4 near4 host near4 product near4 model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:21
S22	28	(code with identi\$4 with (product near3 model))	US-PGPUB; USPAT	OR	ON	2005/01/10 09:25
S23	0	(send\$3 near4 product near3 model) with network	US-PGPUB; USPAT	OR	ON	2005/01/10 09:26
S24	14	(send\$3 near4 product near3 model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:32

S25	73	(receiv\$3 near4 product near3 model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:37
S26	1535	(receiv\$3 with device with identif\$5 with code)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:38
S27	68	(receiv\$3 with device with identif\$5 with code with database) and network	US-PGPUB; USPAT	OR	ON	2005/01/10 09:45
S28	817	product with identifier with receiv\$3	US-PGPUB; USPAT	OR	ON	2005/01/10 09:45
S29	112	product with identifier with receiv\$3 with database	US-PGPUB; USPAT	OR	ON	2005/01/10 09:46
S30	11	product near4 identifier near4 receiv\$3 near4 database	US-PGPUB; USPAT	OR	ON	2005/01/10 09:49
S31	48	product near4 identif\$7 near4 receiv\$3 near4 database	US-PGPUB; USPAT	OR	ON	2005/01/10 09:50
S32	0	("2002/0095299").URPN.	USPAT	OR	ON	2005/01/10 09:54
S33	0	("2002/0095299").URPN.	USPAT	OR	ON	2005/01/10 10:27
S34	1	("6404861").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:27
S35	5	host with tag with binary	US-PGPUB; USPAT	OR	ON	2005/01/10 11:03
S36	2	("20050033853").PN.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/11/03 13:44
S37	1	"20050033853".pn. and (generat\$3 with device with identifier)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 13:47
S38	1	"20050033853".pn. and (device with identifier)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 13:47
S39	953	(generat\$3 near3 Identifi\$3) with (model or product)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:27
S40	145	S39 and (ethernet or (point adj2 point) or pppoe)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:28
S41	287	(identif\$3 with network with (workstation or cpu or cpe or equipment)).ab.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:29

S42	725	(identif\$3 with network with (workstation or cpu or cpe or equipment woth (code or tag))) ab.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:30
S43	47	(identif\$3 with network with (workstation or cpu or cpe or equipment woth (code or tag))) ab. and (ethernet)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:43
S44	10139	(identif\$3 with network with (workstation or cpu or cpe or equipment woth (code or tag))) ab. (product near3 model)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:43
S45	3	(identif\$3 with network with (workstation or cpu or cpe or equipment woth (code or tag))) ab. and (product near3 model)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:48
S46	2	("20030053443").PN.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/11/03 14:48
S47	1	"20020095299".pn. and (network\$3 or ethernet or communication)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:27